









## Semi auto filling solution



FM-14 Smart Filling Machine with hand hose



YC-300 YC-300 THC Semi Auto filling machine

## Automatic filling solution



FM-07 Auto Robo Filling Machine



FM-15 5 Nozzles Auto Filling Machine



FM-17 **Dual Flavor Auto** Filling Machine

## **Automatic Capping** solution



CM-03 **Auto Capping Machine** 

## Preroll filling solution



K1 Cone Filling Sealing Machine



FM-14 Smart Filling Machine with hand hose

Amount of oiling: 0.2-3ml/5ml Oil tank: 300ml or 500ml Oil filling accuracy: ±1% Output: 800-1500 sticks / hour Power supply: AC220V/110V

Drive mode: Stepper motor + rail drive

Panel control: 7 inch big Touch screen, operation button, Smart Filling System

FDA testing passed

Machine Dimensions W\*D\*H(mm) weight:500\*240\*350mm, 15kg Export package size (mm) weight: Wooden box packaging

L\*W\*H=490\*320\*400mm, 22kg














YC-300 THC Semi Auto filling machine

Amount of oiling: 0.2-7ml

Oil Basin: 1.5L

Oil filling accuracy: ±1% Temperature: 0-120 celsius

Heating adjustment: Oil reservoir, pump 2 parts temp adjust

Output: 800-1500 sticks / hour Power supply: AC220V/110V

W\*D\*H(mm) weight: 305\*485\*460mm, Net weight about 25kg, Wooden box packaging L\*W\*H=450\*630\*610mm, Total weight 42kg



FM-07 Auto Robo Filling Machine

Amount of oiling: 0.2-3ml/5L Oil tank: 300ml or 500ml or 3L Oil filling accuracy: ±1% Output: 800-1500 sticks / hour Power supply: AC220V/110V

Drive mode: Stepper motor + rail drive

Panel control: Touch screen, operation button, emergency stop

Interface control: Position adjustment, fuel injection adjustment, speed adjustment

program selection

Program capacity: Specifically based on PLC storage capacity

FDA testing passed

Including 2 units filling trays, free

Machine Dimensions W\*D\*H(mm) weight: 520\*640\*650mm, 46kg

Export package size (mm) weight: Wooden box packaging

L\*W\*H=570\*710\*790mm, 68kg without filling trays

https://longwillmachinery.com













FM-15 5 Nozzles Auto Filling Machine

Amount of oiling: 0.2-7ml

Oil tank: 2500ml

Oil filling accuracy: ±1% Output: 1800-2500 sticks / hour Power supply: AC220V/110V Temperature range: 0-120Celsius

Drive mode: Stepper motor + rail drive

Panel control: Touch screen, operation button, Smart Filling System

FDA testing passed

Machine Dimensions W\*D\*H(mm) weight:740\*400\*760mm, 70kg Export package size (mm) weight: Wooden box packaging

L\*W\*H=840\*500\*860mm, 105kg

https://longwillmachinery.com















FM-17 Dual Flavor Auto Filling Machine

Amount of oiling: 0.2-7ml Oil tank: 1200ml+1200ml Oil filling accuracy: ±1% Output: 1200-1500 sticks / hour Power supply: AC220V/110V Temperature range: 0-120Celsius

Drive mode: Stepper motor + rail drive

Panel control: Touch screen, operation button, Smart Filling System

FDA testing passed

Machine Dimensions W\*D\*H(mm) weight:740\*400\*760mm, 70kg Export package size (mm) weight: Wooden box packaging

L\*W\*H=840\*500\*860mm, 105kg













CM-03 Auto Capping Machine

Applicable atomizer device length: 20-120mm

Output: 800-1000 sticks / hour Power supply: AC220V/110V Working pressure (Kg): 10T

Drive mode: Stepper motor + rail drive + Hydraulic control

Panel control: Touch screen, operation button, Smart Capping System

Machine Dimensions W\*D\*H(mm) weight:650\*500\*1320mm, 175kg

Export package size (mm) weight: Wooden box packaging

L\*W\*H=700\*550\*1400mm, 180kg

https://longwillmachinery.com













K1 Cone Filling Sealing Machine

Output Productivity: 100pcs/min Filling quantity: 100pcs per tray Drive Frequency: 0-3000/min Input Voltage: AC 110-220v Material: PCTG, POM

Machine Dimensions W\*D\*H(mm) weight: 110\*370\*220mm,16kg Export Package size(mm) weight: Wooden box packaging

L\*W\*H=450\*300\*300mm, 32kg